Survival of the cheapest

Julian Vincent

Real wealth is created not just by exploiting more resources and increasing society's cash pot but by exploiting the same or fewer resources better

Julian Baggini, The Guardian, August 14th 2017

Solving problems the technological way



Vincent et al. (2006) RSJ Interface 3: 471-482

Solving problems the biological way



Vincent et al. (2006) RSJ Interface 3: 471-482

Information is data in a useful structure

DATABASE

Acquisition

Storage

Management

Sharing data

Table 1. *Overview of existing database sizes and content*

Method	Size and Content	Reference
Bridge verbs	1 Biological introductory handbook	Shu, 2010
SBF	Forty, of which 22 complete SBF models of biological systems	Vattam et al., 2010
Functional basis	30 Models of biological phenomena	Nagel et al., 2010
SAPPhIRE	20 Biomimetic examples (engineering and biological systems) 100 Biological strategies about motion in nature	Chakrabarti et al., 2005
AskNature	1531 Detailed descriptions of biological strategies	http://www.asknature.org/
BioTRIZ	2500 Conflicts, from an analysis of 500 biological phenomena	Vincent et al., 2006

Note: SBF, Structure–behavior–function; SAPPhIRE, state change, action, part, phenomenon, input, organ, and effect.

Data Information Knowledge

"Mind the Gap" - Thompson Reuters 2012



Database
Closed World Assumption

You can use the data only in ways that have been foreseen by the database designer

You can query data only for what you know is there

If a thing, function or relationship is not stated to exist in the database, it is assumed not to exist at all

Knowledge is information in a useful context

ONTOLOGY

Curation

Storage

Management

Sharing knowledge

Data Information Knowledge

"Mind the Gap" - Thompson Reuters 2012



Data Information Knowledge

"Mind the Gap" - Thompson Reuters 2012



Ontology
Open World Assumption

Because an ontology can be queried in ways not expected by the designers, there can be (implicit) information waiting to be discovered.

ALL things, functions and relationships are assumed to exist. So if any of these does NOT exist in the ontology, this fact must be stated explicitly.

Objectives of an informatics ontology

Translate data and information into knowledge that is useful to engineers, environmentalists, regulators, etc.

Curate the knowledge base to maintain alignment with emerging scientific research and discovery, applications or innovation in engineering and other disciplines or industries.

Present the knowledge in a flexible manner so that the output can be based on multiple criteria to make the utility and value understandable for all.

we have information

DATABASE

which can yield only correlation

we have knowledge

ONTOLOGY

which can yield causality

We combine the two within the ontology

Most biomimetics is about answers

The 'customers' are engineers, who answer questions

How can we define the questions??



Heraclitus

All problems can be modelled as a conflict or contradiction (popularised by Sophocles)

Hegel

The two arms of a contradiction are called "Thesis" and "Antithesis". Their resolution is the "Synthesis". This triad is the "Dialectic" (an idea borrowed from Kant)



A common word is "TRADE OFF", as in

Trade off between . A . and .B

A and B are the two halves of the trade-off and together they state the question.

How can we solve the Trade Off?

Engineering as Tradeoff





The trade-off between carbon footprint and cost of ownership



Charles Darwin's notebook

Darwin's first thoughts on evolution.

Each arrow marks a

→ TRADEOFF

Tradeoff in Evolution



Altshuller



Wouldn't it be best to learn from success? Even better to condense the experience gathered from the best solutions into concrete rules and to develop a method with complete models or even as a practical theory.

TRIZ - 39 Parameters

1. Weight of moving object
2. Weight of stationary object
3. Length of moving object
4. Length of stationary object
5. Area of moving object
6. Area of stationary object
7. Volume of moving object
8. Volume of stationary object
9. Speed
10. Force
11. Tension, pressure
12. Shape
13. Stability of object
14. Strength
15. Duration of action - moving object
16. Duration of action - stationary object
17. Temperature
18. Brightness
19. Use of energy by moving object
20. Use of energy by stationary object
21. Power
22. Waste of energy
23. Waste of substance
24. Loss of information
25. Waste of time
26. Amount of substance
27. Reliability
28. Accuracy of measurement
29. Accuracy of manufacturing
30. Object affected harmful effects
31. Object generated side effects
32. Manufacturability
33. Convenience of use
34. Repairability
35. Adaptability
36. Complexity of device
37. Complexity of control
38. Level of automation
39. Productivity

These provide thesis & antithesis

TRIZ - 40 Inventive Principles

1. Segmentation
2. Extraction
3. Local quality
4. Asymmetry
5. Combination
6. Universality
7. Nested doll
8. Counterweight
9. Prior counter-action
10. Prior action
11. Prior cushioning
12. Equipotentiality
13. Other way around
14. Spheroidality
15. Dynamics
16. Partial or excessive action
17. Another dimension
18. Vibration
19. Periodic action
20. Continuity of useful action
21. Skipping
22. Blessing in disguise
23. Feedback
24. Intermediary
25. Self-service
26. Copying
27. Cheap/short life
28. Mechanical substitution
29. Pneumatics and hydraulics
30. Flexible shells/thin films
31. Porous/cellular materials
32. Colour change
33. Homogeneity
34. Discarding and recovering
35. Parameter change
36. Phase transition
37. Thermal expansion
38. Strong oxidant
39. Inert atmosphere
40. Composite material

These are other people's solutions

Antithesis

Thesis

Synthesis

Improving Feature ↓ / Worsening Feature →	1 Weight of moving object	2 Weight of stationary object	3 Length of moving object	4 Length of stationary object	5 Area of moving object	6 Area of stationary object	7 Volume of moving object	8 Volume of stationary object	9 Speed	10 Force (Intensity)	11 Stress or pressure	12 Shape	13 Stability of the object's position
Weight of moving object	+	-	15, 8, 29,34	-	29, 17, 38, 34	-	29, 2, 40, 28	-	2, 8, 15, 38	8, 10, 18, 37	10, 36, 37, 40	10, 14, 35, 40	1, 35, 19, 39
Weight of stationary object	-	+	-	10, 1, 29, 35	-	35, 30, 13, 2	-	5, 35, 14, 2	-	8, 10, 19, 35	13, 29, 10, 18	13, 10, 29, 14	26, 39, 1, 40
Length of moving object	8, 15, 29, 34	-	+	-	15, 17, 4	-	7, 17, 4, 35	-	13, 4, 8	17, 10, 4	1, 8, 35	1, 8, 10, 29	1, 8, 15, 34
Length of stationary object		35, 28, 40, 29	-	+	-	17, 7, 10, 40	-	35, 8, 2,14	-	28, 10	1, 14, 35	13, 14, 15, 7	39, 37, 35
Area of moving object	2, 17, 29, 4	-	14, 15, 18, 4	-	+	-	7, 14, 17, 4		29, 30, 4, 34	19, 30, 35, 2	10, 15, 36, 28	5, 34, 29, 4	11, 2, 13, 39
Area of stationary object	-	30, 2, 14, 18	-	26, 7, 9, 39	-	+	-		-	1, 18, 35, 36	10, 15, 36, 37		2, 38
Volume of moving object	2, 26, 29, 40	-	1, 7, 4, 35	-	1, 7, 4, 17	-	+	-	29, 4, 38, 34	15, 35, 36, 37	6, 35, 36, 37	1, 15, 29, 4	28, 10, 1, 39
Volume of stationary object	-	35, 10, 19, 14	19, 14	35, 8, 2, 14	-		-	+	-	2, 18, 37	24, 35	7, 2, 35	34, 28, 35, 40
Speed	2, 28, 13, 38	-	13, 14, 8	-	29, 30, 34	-	7, 29, 34	-	+	13, 28, 15, 19	6, 18, 38, 40	35, 15, 18, 34	28, 33, 1, 18
Force (Intensity)	8, 1, 37, 18	18, 13, 1, 28	17, 19, 9, 36	28, 10	19, 10, 15	1, 18, 36, 37	15, 9, 12, 37	2, 36, 18, 37	13, 28, 15, 12	+	18, 21, 11	10, 35, 40, 34	35, 10, 21
Stress or pressure	10, 36, 37, 40	13, 29, 10, 18	35, 10, 36	35, 1, 14, 16	10, 15, 36, 28	10, 15, 36, 37	6, 35, 10	35, 24	6, 35, 36	36, 35, 21	+	35, 4, 15, 10	35, 33, 2, 40
Shape	8, 10, 29, 40	15, 10, 26, 3	29, 34, 5, 4	13, 14, 10, 7	5, 34, 4, 10		14, 4, 15, 22	7, 2, 35	35, 15, 34, 18	35, 10, 37, 40	34, 15, 10, 14	+	33, 1, 18, 4
Stability of the object's composition	21, 35, 2, 39	26, 39, 1, 40	13, 15, 1, 28	37	2, 11, 13	39	28, 10, 19, 39	34, 28, 35, 40	33, 15, 28, 18	10, 35, 21, 16	2, 35, 40	22, 1, 18, 4	+
Strength	1, 8, 40, 15	40, 26, 27, 1	1, 15, 8, 35	15, 14, 28, 26	3, 34, 40, 29	9, 40, 28	10, 15, 14, 7	9, 14, 17, 15	8, 13, 26, 14	10, 18, 3, 14	10, 3, 18, 40	10, 30, 35, 40	13, 17, 35
Duration of action of moving object	19, 5, 34, 31	-	2, 19, 9	-	3, 17, 19	-	10, 2, 19, 30	-	3, 35, 5	19, 2, 16	19, 3, 27	14, 26, 28, 25	13, 3, 35
Duration of action by stationary object	-	6, 27, 19, 16	-	1, 40, 35	-		-	35, 34, 38	-				39, 3, 35, 23
Temperature	36,22, 6, 38	22, 35, 32	15, 19, 9	15, 19, 9	3, 35, 39, 18	35, 38	34, 39, 40, 18	35, 6, 4	2, 28, 36, 30	35, 10, 3, 21	[illegible]	14, 22, 19, 32	1, 35, 32
Illumination intensity	19, 1, 32	2, 35, 32	19, 32, 16		19, 32, 26		2, 13, 10		10, 13, 19	26, 19, 6		32, 30	[illegible] 3, 27
Use of energy by moving object	12,18,28, 31	-	12, 28	-	15, 19, 25	-	35, 13, 18	-	8, 35, 35	16, 26, 21, 2	23, 14, 25	[illegible], 2, 29	[illegible]
Use of energy by stationary object	-	19, 9, 6, 27	-		-		-		-	36, 37			27, [illegible]
Power	8, 36, 38, 31	19, 26, 17, 27	1, 10, 35, 37		19, 38	17, 32, 13, 38	35, 6, 38	30, 6, 25	15, 35, 2	26, 2, 36, 35	22, 10, 35	29, 14, 2, 40	[illegible], 32, 15, 31
Loss of Energy	15, 6, 19, 28	19, 6, 18, 9	7, 2, 6, 13	6, 38, 7	15, 26, 17, 30	17, 7, 30, 18	7, 18, 23	7	16, 35, 38	36, 38			14, 2, 39, 6
Loss of substance	35, 6, 23, 40	35, 6, 22, 32	14, 29, 10, 39	10, 28,24	35, 2, 10, 31	10, 18, 39, 31	1, 29, 30, 36	3, 39, 18, 31	10, 13, 28, 38	14, 15, 18, 40	3, 36, 37, 10	29, 35, 3, 5	2, 14, 30, 40
Loss of Information	10, 24, 35	10, 35, 5	1, 26	26	30, 26	30, 16		2, 22	26, 32				
Loss of Time	10, 20, 37, 35	10, 20, 26, 5	15, 2, 29	30, 24, 14, 5	26, 4, 5, 16	10, 35, 17, 4	2, 5, 34, 10	35, 16, 32, 18		10, 37, 36,5	37, 36,4	4, 10, 34, 17	35, 3, 22, 5
Quantity of substance/the matter	35, 6, 18, 31	27, 26, 18, 35	29, 14, 35, 18		15, 14, 29	2, 18, 40, 4	15, 20, 29		35, 29, 34, 28	35, 14, 3	10, 36, 14, 3	35, 14	15, 2, 17, 40
Reliability	3, 8, 10, 40	3, 10, 8, 28	15, 9, 14, 4	15, 29, 28, 11	17, 10, 14, 16	32, 35, 40, 4	3, 10, 14, 24	2, 35, 24	21, 35, 11, 28	8, 28, 10, 3	10, 24, 35, 19	35, 1, 16, 11	
Measurement accuracy	32, 35, 26, 28	28, 35, 25, 26	28, 26, 5, 16	32, 28, 3, 16	26, 28, 32, 3	26, 28, 32, 3	32, 13, 6		28, 13, 32, 24	32, 2	6, 28, 32	6, 28, 32	32, 35, 13
Manufacturing precision	28, 32, 13, 18	28, 35, 27, 9	10, 28, 29, 37	2, 32, 10	28, 33, 29, 32	2, 29, 18, 36	32, 23, 2	25, 10, 35	10, 28, 32	28, 19, 34, 36	3, 35	32, 30, 40	30, 18
Object-affected harmful factors	22, 21, 27, 39	2, 22, 13, 24	17, 1, 39, 4	1, 18	22, 1, 33, 28	27, 2, 39, 35	22, 23, 37, 35	34, 39, 19, 27	21, 22, 35, 28	13, 35, 39, 18	22, 2, 37	22, 1, 3, 35	35, 24, 30, 18
Object-generated harmful factors	19, 22, 15, 39	35, 22, 1, 39	17, 15, 16, 22		17, 2, 18, 39	22, 1, 40	17, 2, 40	30, 18, 35, 4	35, 28, 3, 23	35, 28, 1, 40	2, 33, 27, 18	35, 1	35, 40, 27, 39
Ease of manufacture	28, 29, 15, 16	1, 27, 36, 13	1, 29, 13, 17	15, 17, 27	13, 1, 26, 12	16, 40	13, 29, 1, 40	35	35, 13, 8, 1	35, 12	35, 19, 1, 37	1, 28, 13, 27	11, 13, 1
Ease of operation	25, 2, 13, 15	6, 13, 1, 25	1, 17, 13, 12		1, 17, 13, 16	18, 16, 15, 39	1, 16, 35, 15	4, 18, 39, 31	18, 13, 34	28, 13 35	2, 32, 12	15, 34, 29, 28	32, 35, 30
Ease of repair	2, 27 35, 11	2, 27, 35, 11	1, 28, 10, 25	3, 18, 31	15, 13, 32	16, 25	25, 2, 35, 11	1	34, 9	1, 11, 10	13	1, 13, 2, 4	2, 35
Adaptability or versatility	1, 6, 15, 8	19, 15, 29, 16	35, 1, 29, 2	1, 35, 16	35, 30, 29, 7	15, 16	15, 35, 29		35, 10, 14	15, 17, 20	35, 16	15, 37, 1, 8	35, 30, 14
Device complexity	26, 30, 34, 36	2, 26, 35, 39	1, 19, 26, 24	26	14, 1, 13, 16	6, 36	34, 26, 6	1, 16	34, 10, 28	26, 16	19, 1, 35	29, 13, 28, 15	2, 22, 17, 19
Difficulty of detecting and measuring	27, 26, 28, 13	6, 13, 28, 1	16, 17, 26, 24	26	2, 13, 18, 17	2, 39, 30, 16	29, 1, 4, 16	2, 18, 26, 31	3, 4, 16, 35	30, 28, 40, 19	35, 36, 37, 32	27, 13, 1, 39	11, 22, 39, 30
Extent of automation	28, 26, 18, 35	28, 26, 35, 10	14, 13, 17, 28	23	17, 14, 13		35, 13, 16		28, 10	2, 35	13, 35	15, 32, 1, 13	18, 1
Productivity	35, 26, 24, 37	28, 27, 15, 3	18, 4, 28, 38	30, 7, 14, 26	10, 26, 34, 31	10, 35, 17, 7	2, 6, 34, 10	35, 37, 10, 2		28, 15, 10, 36	10, 37, 14	14, 10, 34, 40	35, 3, 22, 39

Improving Feature ↓ / Worsening Feature →	14 Strength	15 Duration of action of moving object	16 Duration of action of stationary object	17 Temperature	18 Illumination intensity	19 Use of energy by moving object	20 Use of energy by stationary object	21 Power	22 Loss of Energy	23 Loss of Substance	24 Loss of Information	25 Loss of Time	26 Quantity of substance
Weight of moving object	28, 27, 18, 40	5, 34, 31, 35	-	6, 29, 4, 38	19, 1, 32	35, 12, 34, 31	-	12, 36, 18, 31	6, 2, 34, 19	5, 35, 3, 31	10, 24, 35	10, 35, 20, 28	3, 26, 18, 31
Weight of stationary object	28, 2, 10, 27	-	2, 27, 19, 6	28, 19, 32, 22	19, 32, 35	-	18, 19, 28, 1	15, 19, 18, 15	18, 19, 28, 15	5, 8, 13, 30	10, 15, 35	10, 20, 35, 26	19, 6, 18, 26
Length of moving object	8, 35, 29, 34	19	-	10, 15, 19	32	8, 35, 24	-	1, 35	7, 2, 35, 39	4, 29, 23, 10	1, 24	15, 2, 29	29, 35
Length of stationary object	15, 14, 28, 26	-	1, 10, 35	3, 35, 38, 18	3, 25	-		12, 8	6, 28	10, 28, 24, 35	24, 26,	30, 29, 14	
Area of moving object	3, 15, 40, 14	6, 3	-	2, 15, 16	15, 32, 19, 13	19, 32	-	19, 10, 32, 18	15, 17, 30, 26	10, 35, 2, 39	30, 26	26, 4	29, 30, 6, 13
Area of stationary object	40	-	2, 10, 19, 30	35, 39, 38		-		17, 32	17, 7, 30	10, 14, 18, 39	30, 16	10, 35, 4, 18	2, 18, 40, 4
Volume of moving object	9, 14, 15, 7	6, 35, 4	-	34, 39, 10, 18	2, 13, 10	35	-	35, 6, 13, 18	7, 15, 13, 16	36, 39, 34, 10	2, 22	2, 6, 34, 10	29, 30, 7
Volume of stationary object	9, 14, 17, 15	-	35, 34, 38	35, 6, 4		-		30, 6		10, 39, 35, 34		35, 16, 32 18	35, 3
Speed	8, 3, 26, 14	3, 19, 35, 5	-	28, 30, 36, 2	10, 13, 19	8, 15, 35, 38	-	19, 35, 38, 2	14, 20, 19, 35	10, 13, 28, 38	13, 26		10, 19, 29, 38
Force (Intensity)	35, 10, 14, 27	19, 2		35, 10, 21	-	19, 17, 10	1, 16, 36, 37	19, 35, 18, 37	14, 15	8, 35, 40, 5		10, 37, 36	14, 29, 18, 36
Stress or pressure	9, 18, 3, 40	19, 3, 27		35, 39, 19, 2	-	14, 24, 10, 37		10, 35, 14	2, 36, 25	10, 36, 3, 37		37, 36, 4	10, 14, 36
Shape	30, 14, 10, 40	14, 26, 9, 25		22, 14, 19, 32	13, 15, 32	2, 6, 34, 14		4, 6, 2	14	35, 29, 3, 5		14, 10, 34, 17	36, 22
Stability of the object's composition	17, 9, 15	13, 27, 10, 35	39, 3, 35, 23	35, 1, 32	32, 3, 27, 16	13, 19	27, 4, 29, 18	32, 35, 27, 31	14, 2, 39, 6	2, 14, 30, 40		35, 27	15, 32, 35
Strength	+	27, 3, 26		30, 10, 40	35, 19	19, 35, 10	35	10, 26, 35, 28	35	35, 28, 31, 40		29, 3, 28, 10	29, 10, 27
Duration of action of moving object	27, 3, 10	+	-	19, 35, 39	2, 19, 4, 35	28, 6, 35, 18		19, 10, 35, 38		28, 27, 3, 18	10	20, 10, 28, 18	3, 35, 10, 40
Duration of action by stationary object		-	+	19, 18, 36, 40				16		27, 16, 18, 38	10	28, 20, 10, 16	3, 35, 31
Temperature	10, 30, [illegible] 40	19, 13, 39	19, 18, [illegible] 40	[illegible]	32, 30, 21, 16	[illegible] 5, 3, 17		2, 14, 17, 25	21, 17, [illegible] 38	21, 36, 29, [illegible]		[illegible], 28, 21, 18	3, 17, 30, [illegible]
Illumination intensity	[illegible], 19	[illegible] 19	[illegible]	32, 35, [illegible] 9	+	[illegible] 19	[illegible] 5, 1, [illegible] 5	[illegible]	13, [illegible] 1,	13 [illegible]	1, 6	[illegible] 9, 1, 26, 17	[illegible] 9
Use of energy by moving object	[illegible], 19, 9, 35	[illegible], 6, 18		19 [illegible]	2, 15, 19	+	[illegible]	6, [illegible] 37	12, 22, 15, 24	[illegible], 18, 5		35, 38, 19, 18	34, [illegible] 16, 1[illegible]
Use of energy by stationary object	35				[illegible], 32	-	+			28, 27, [illegible] 31			[illegible] 35, 3[illegible]
Power	26, 10, 28	19, 35, 10, 38	16	2, 14, 17, 25	16, 6, 19	16, 6, 19, 37		+	10, 35, 38	28, 27, 18, 38	10, 19	35, 20, 10, 6	4, 34, 19
Loss of Energy	26			19, 38, 7	1, 13, 32, 15			3, 38	+	35, 27, 2, 37	19, 10	10, 18, 32, 7	7, 18, 25
Loss of substance	35, 28, 31, 40	28, 27, 3, 18	27, 16, 18, 38	21, 36, 39, 31	1, 6, 13	35, 18, 24, 5	28, 27, 12, 31	28, 27, 18, 38	35, 27, 2, 31	+		15, 18, 35, 10	6, 3, 10, 24
Loss of Information		10	10		19			10, 19	19, 10		+	24, 26, 28, 32	24, 28, 35
Loss of Time	29, 3, 28, 18	20, 10, 28, 18	28, 20, 10, 16	35, 29, 21, 18	1, 19, 26, 17	35, 38, 19, 18	1	35, 20, 10, 6	10, 5, 18, 32	35, 18, 10, 39	24, 26, 28, 32	+	35, 38, 18, 16
Quantity of substance/the matter	14, 35, 34, 10	3, 35, 10, 40	3, 35, 31	3, 17, 39		34, 29, 16, 18	3, 35, 31	35	7, 18, 25	6, 3, 10, 24	24, 28, 35	35, 38, 18, 16	+
Reliability	11, 28	2, 35, 3, 25	34, 27, 6, 40	3, 35, 10	11, 32, 13	21, 11, 27, 19	36, 23	21, 11, 26, 31	10, 11, 35	10, 35, 29, 39	10, 28	10, 30, 4	21, 28, 40, 3
Measurement accuracy	28, 6, 32	28, 6, 32	10, 26, 24	6, 19, 28, 24	6, 1, 32	3, 6, 32		3, 6, 32	26, 32, 27	10, 16, 31, 28		24, 34, 28, 32	2, 6, 32
Manufacturing precision	3, 27	3, 27, 40		19, 26	3, 32	32, 2		32, 2	13, 32, 2	35, 31, 10, 24		32, 26, 28, 18	32, 30
Object-affected harmful factors	18, 35, 37, 1	22, 15, 33, 28	17, 1, 40, 33	22, 33, 35, 2	1, 19, 32, 13	1, 24, 6, 27	10, 2, 22, 37	19, 22, 31, 2	21, 22, 35, 2	33, 22, 19, 40	22, 10, 2	35, 18, 34	35, 33, 29, 31
Object-generated harmful factors	15, 35, 22, 2	15, 22, 33, 31	21, 39, 16, 22	22, 35, 2, 24	19, 24, 39, 32	2, 35, 6	19, 22, 18	2, 35, 18	21, 35, 2, 22	10, 1, 34	10, 21, 29	1, 22	3, 24, 39, 1
Ease of manufacture	1, 3, 10, 32	27, 1, 4	35, 16	27, 26, 18	28, 24, 27, 1	28, 26, 27, 1	1, 4	27, 1, 12, 24	19, 35	15, 34, 33	32, 24, 18, 16	35, 28, 34, 4	35, 23, 1, 24
Ease of operation	32, 40, 3, 28	29, 3, 8, 25	1, 16, 25	26, 27, 13	13, 17, 1, 24	1, 13, 24		35, 34, 2, 10	2, 19, 13	28, 32, 2, 24	4, 10, 27, 22	4, 28, 10, 34	12, 35
Ease of repair	11, 1, 2, 9	11, 29, 28, 27	1	4, 10	15, 1, 13	15, 1, 28, 16		15, 10, 32, 2	15, 1, 32, 19	2, 35, 34, 27		32, 1, 10, 25	2, 28, 10, 25
Adaptability or versatility	35, 3, 32, 6	13, 1, 35	2, 16	27, 2, 3, 35	6, 22, 26, 1	19, 35, 29, 13		19, 1, 29	18, 15, 1	15, 10, 2, 13		35, 28	3, 35, 15
Device complexity	2, 13, 28	10, 4, 28, 15		2, 17, 13	24, 17, 13	27, 2, 29, 28		20, 19, 30, 34	10, 35, 13, 2	35, 10, 28, 29		6, 29	13, 3, 27, 10
Difficulty of detecting and measuring	27, 3, 15, 28	19, 29, 39, 25	25, 34, 6, 35	3, 27, 35, 16	2, 24, 26	35, 38	19, 35, 16	18, 1, 16, 10	35, 3, 15, 19	1, 18, 10, 24	35, 33, 27, 22	18, 28, 32, 9	3, 27, 29, 18
Extent of automation	25, 13	6, 9		26, 2, 19	8, 32, 19	2, 32, 13		28, 2, 27	23, 28	35, 10, 18, 5	35, 33	24, 28, 35, 30	35, 13
Productivity	29, 28, 10, 18	35, 10, 2, 18	20, 10, 16, 38	35, 21, 28, 10	26, 17, 19, 1	35, 10, 38, 19	1	35, 20, 10	28, 10, 29, 35	28, 10, 35, 23	13, 15, 23		35, 38

Improving Feature ↓ / Worsening Feature →	27 Reliability	28 Measurement accuracy	29 Manufacturing precision	30 Object-affected harmful factors	31 Object-generated harmful factors	32 Ease of manufacture	33 Ease of operation	34 Ease of repair	35 Adaptability or versatility	36 Device complexity	37 Difficulty of detecting and measuring	38 Extent of automation	39 Productivity
Weight of moving object	1, 3, 11, 27	28, 27, 35, 26	28, 35, 26, 18	22, 21, 18, 27	22, 35, 31, 39	27, 28, 1, 36	35, 3, 2, 24	2, 27, 28, 11	29, 5, 15, 8	26, 30, 36, 34	28, 29, 26, 32	26, 35 18, 19	35, 3, 24, 37
Weight of stationary object	10, 28, 8, 3	18, 26, 28	10, 1, 35, 17	2, 19, 22, 37	35, 22, 1, 39	28, 1, 9	6, 13, 1, 32	2, 27, 28, 11	19, 15, 29	1, 10, 26, 39	25, 28, 17, 15	2, 26, 35	1, 28, 15, 35
Length of moving object	10, 14, 29, 40	28, 32, 4	10, 28, 29, 37	1, 15, 17, 24	17, 15	1, 29, 17	15, 29, 35, 4	1, 28, 10	14, 15, 1, 16	1, 19, 26, 24	35, 1, 26, 24	17, 24, 26, 16	14, 4, 28, 29
Length of stationary object	15, 29, 28	32, 28, 3	2, 32, 10	1, 18		15, 17, 27	2, 25	3	1, 35	1, 26	26		30, 14, 7, 26
Area of moving object	29, 9	26, 28, 32, 3	2, 32	22, 33, 28, 1	17, 2, 18, 39	13, 1, 26, 24	15, 17, 13, 16	15, 13, 10, 1	15, 30	14, 1, 13	2, 36, 26, 18	14, 30, 28, 23	10, 26, 34, 2
Area of stationary object	32, 35, 40, 4	26, 28, 32, 3	2, 29, 18, 36	27, 2, 39, 35	22, 1, 40	40, 16	16, 4	16	15, 16	1, 18, 36	2, 35, 30, 18	23	10, 15, 17, 7
Volume of moving object	14, 1, 40, 11	26, 26, 28	25, 28, 2, 16	22, 21, 27, 35	17, 2, 40, 1	29, 1, 40	15, 13, 30, 12	10	15, 29	26, 1	29, 26, 4	35, 34, 16, 24	10, 6, 2, 34
Volume of stationary object	2, 35, 16		35, 10, 25	34, 39, 19, 27	30, 18, 35, 4	35		1		1, 31	2, 17, 26		35, 37, 10, 2
Speed	11, 35, 27, 28	28, 32, 1, 24	10, 28, 32, 25	1, 28, 35, 23	2, 24, 35, 21	35, 13, 8, 1	32, 28, 13, 12	34, 2, 28, 27	15, 10, 26	10, 28, 4, 34	3, 34, 27, 16	10, 18	
Force (Intensity)	3, 35, 13, 21	35, 10, 23, 24	28, 29, 37, 36	1, 35, 40, 18	13, 3, 36, 24	15, 37, 18, 1	1, 28, 3, 25	15, 1, 11	15, 17, 18, 20	26, 35, 10, 18	36, 37, 10, 19	2, 35	3, 28, 35, 37
Stress or pressure	10, 13, 19, 35	6, 28, 25	3, 35	22, 2, 37	2, 33, 27, 18	1, 35, 16	11	2	35	19, 1, 35	2, 36, 37	35, 24	10, 14, 35, 37
Shape	10, 40, 16	28, 32, 1	32, 30, 40	22, 1, 2, 35	35, 1	1, 32, 17, 28	32, 15, 26	2, 13, 1	1, 15, 29	16, 29, 1, 28	15, 13, 39	15, 1, 32	17, 26, 34, 10
Stability of the object's composition		13	18	35, 24, 30, 18	35, 40, 27, 39	35, 19	32, 35, 30	2, 35, 10, 16	35, 30, 34, 2	2, 35, 22, 26	35, 22, 39, 23	1, 8, 35	23, 35, 40, 3
Strength	11, 3	3, 27, 16	3, 27	18, 35, 37, 1	15, 35, 22, 2	11, 3, 10, 32	32, 40, 25, 2	27, 11, 3	15, 3, 32	2, 13, 25, 28	27, 3, 15, 40	15	29, 35, 10, 14
Duration of action of moving object	11, 2, 13	3	3, 27, 16, 40	22, 15, 33, 28	21, 39, 16, 22	27, 1, 4	12, 27	29, 10, 27	1, 35, 13	10, 4, 29, 15	19, 29, 39, 35	6, 10	35, 17, 14, 19
Duration of action by stationary object	34, 27, 6, 40	10, 26, 24		17, 1, 40, 33	22	35, 10	1	1	2		25, 34, 6, 35	1	20, 10, 16, 38
Temperature	19, 35, 3, 10	32, 19, 24	24	22, 33, 35, 2	22, 35, 2, 24	26, 27	26, 27	4, 10, 16	2, 18, 27	2, 17, 16	3, 27, 35, 31	26, 2, 19, 16	15, 28, 35
Illumination intensity		11, 15, 32	3, 32	15, 19	35, 19, 32, 39	19, 35, 28, 26	28, 26, 19	15, 17, 13, 16	15, 1, 1, 19	6, 32, 13	32, 15	2, 26, 10	2, 25, 16
Use of energy by moving object	[illegible], 21, 11, 27	3, 1, 32		1, 35, 6, 27	2, 35, 6	28, 26, 30	19, 35	1, 15, 17, 28	15, 17, 13, 16	2, 29, 27, 28	35, 38	32, 2	12, 28, 35
Use of energy by stationary object	10, 36, 23			10, 2, 22, 37	19, 22, 18	1, 4					19, 35, 16, 25		1, 6
Power	19, 24, 26, 31	32, 15, 2	32, 2	19, 22, 31, 2	2, 35, 18	26, 10, 34	26, 35, 10	35, 2, 10, 34	19, 17, 34	20, 19, 30, 34	19, 35, 16	28, 2, 17	28, 35, 34
Loss of Energy	11, 10, 35	32		21, 22, 35, 2	21, 35, 2, 22		35, 32, 1	2, 19		7, 23	35, 3, 15, 23	2	28, 10, 29, 35
Loss of substance	10, 29, 39, 35	16, 34, 31, 28	35, 10, 24, 31	33, 22, 30, 40	10, 1, 34, 29	15, 34, 33	32, 28, 2, 24	2, 35, 34, 27	15, 10, 2	35, 10, 28, 24	35, 18, 10, 13	35, 10, 18	28, 35, 10, 23
Loss of Information	10, 28, 23			22, 10, 1	10, 21, 22	32	27, 22				35, 33	35	13, 23, 15
Loss of Time	10, 30, 4	24, 34, 28, 32	24, 26, 28, 18	35, 18, 34	35, 22, 18, 39	35, 28, 34, 4	4, 28, 10, 34	32, 1, 10	35, 28	6, 29	18, 28, 32, 10	24, 28, 35, 30	
Quantity of substance/the matter	18, 3, 28, 40	13, 2, 28	33, 30	35, 33, 29, 31	3, 35, 40, 39	29, 1, 35, 27	35, 29, 25, 10	2, 32, 10, 25	15, 3, 29	3, 13, 27, 10	3, 27, 29, 18	8, 35	13, 29, 3, 27
Reliability	+	32, 3, 11, 23	11, 32, 1	27, 35, 2, 40	35, 2, 40, 26		27, 17, 40	1, 11	13, 35, 8, 24	13, 35, 1	27, 40, 28	11, 13, 27	1, 35, 29, 38
Measurement accuracy	5, 11, 1, 23	+		28, 24, 22, 26	3, 33, 39, 10	6, 35, 25, 18	1, 13, 17, 34	1, 32, 13, 11	13, 35, 2	27, 35, 10, 34	26, 24, 32, 28	28, 2, 10, 34	10, 34, 28, 32
Manufacturing precision	11, 32, 1		+	26, 28, 10, 36	4, 17, 34, 26		1, 32, 35, 23	25, 10		26, 2, 18		26, 28, 18, 23	10, 18, 32, 39
Object-affected harmful factors	27, 24, 2, 40	28, 33, 23, 26	26, 28, 10, 18	+		24, 35, 2	2, 25, 28, 39	35, 10, 2	35, 11, 22, 31	22, 19, 29, 40	22, 19, 29, 40	33, 3, 34	22, 35, 13, 24
Object-generated harmful factors	24, 2, 40, 39	3, 33, 26	4, 17, 34, 26		+					19, 1, 31	2, 21, 27, 1	2	22, 35, 18, 39
Ease of manufacture		1, 35, 12, 18		24, 2		+	2, 5, 13, 16	35, 1, 11, 9	2, 13, 15	27, 26, 1	6, 28, 11, 1	8, 28, 1	35, 1, 10, 28
Ease of operation	17, 27, 8, 40	25, 13, 2, 34	1, 32, 35, 23	2, 25, 28, 39		2, 5, 12	+	12, 26, 1, 32	15, 34, 1, 16	32, 26, 12, 17		1, 34, 12, 3	15, 1, 28
Ease of repair	11, 10, 1, 16	10, 2, 13	25, 10	35, 10, 2, 16		1, 35, 11, 10	1, 12, 26, 15	+	7, 1, 4, 16	35, 1, 13, 11		34, 35, 7, 13	1, 32, 10
Adaptability or versatility	35, 13, 8, 24	35, 5, 1, 10		35, 11, 32, 31		1, 13, 31	15, 34, 1, 16	1, 16, 7, 4	+	15, 29, 37, 28	1	27, 34, 35	35, 28, 6, 37
Device complexity	13, 35, 1	2, 26, 10, 34	26, 24, 32	22, 19, 29, 40	19, 1	27, 26, 1, 13	27, 9, 26, 24	1, 13	29, 15, 28, 37	+	15, 10, 37, 28	15, 1, 24	12, 17, 28
Difficulty of detecting and measuring	27, 40, 28, 8	26, 24, 32, 28		22, 19, 29, 28	2, 21	5, 28, 11, 29	2, 5	12, 26	1, 15	15, 10, 37, 28	+	34, 21	35, 18
Extent of automation	11, 27, 32	28, 26, 10, 34	28, 26, 18, 23	2, 33	2	1, 26, 13	1, 12, 34, 3	1, 35, 13	27, 4, 1, 35	15, 24, 10	34, 27, 25	+	5, 12, 35, 26
Productivity	1, 35, 10, 38	1, 10, 34, 28	18, 10, 32, 1	22, 35, 13, 24	35, 22, 18, 39	35, 28, 2, 24	1, 28, 7, 10	1, 32, 10, 25	1, 35, 28, 37	12, 17, 28, 24	35, 18, 27, 2	5, 12, 35, 26	+

The Contradiction Matrix with the Parameters top and side

Inventive Principles in the cells where the Parameters cross



Popper

The solution to most problems is reached by a process of "Trial and Error" - experimentation. The dialectic pattern often fits but is more of a rationalisation.

Worsening Feature →

Improving Feature ↓

	1 Weight of moving object	2 Weight of stationary object	3 Length of moving object	4 Length of stationary object	5 Area of moving object	6 Area of stationary object	7 Volume of moving object	8 Volume of stationary object	9 Speed	10 Force (intensity)	11 Stress or pressure	12 Shape	13 Stability of the object's composition	14 Strength	15 Duration of action of moving object	16 Duration of action of stationary object	17 Temperature	18 Illumination intensity	19 Use of energy by moving object	20 Use of energy by stationary object	21 Power	22 Loss of Energy	23 Loss of Substance	24 Loss of Information	25 Loss of Time	26 Quantity of substance	27 Reliability	28 Measurement accuracy	29 Manufacturing precision	30 Object-affected harmful factors	31 Object-generated harmful factors	32 Ease of manufacture	33 Ease of operation	34 Ease of repair	35 Adaptability or versatility	36 Device complexity	37 Difficulty of detecting and measuring	38 Extent of automation	39 Productivity
1 Weight of moving object	+	-	15, 8, 29,34	-	29, 17, 38, 34	-	29, 2, 40, 28	-	2, 8, 15, 38	8, 10, 18, 37	10, 36, 37, 40	10, 14, 35, 40	1, 35, 19, 39	28, 27, 18, 40	5, 34, 31, 35	-	6, 29, 4, 38	19, 1, 32	35, 12, 34, 31	-	12, 36, 18, 31	6, 2, 34, 19	5, 35, 3, 31	10, 24, 35	10, 35, 20, 28	3, 26, 18, 31	1, 3, 11, 27	28, 27, 35, 26	28, 35, 26, 18	22, 21, 18, 27	22, 35, 31, 39	27, 28, 1, 36	35, 3, 2, 24	2, 27, 28, 11	29, 3, 15, 8	26, 30, 36, 34	28, 29, 26, 32	26, 35, 18, 19	35, 3, 24, 37
2 Weight of stationary object	-	+	-	10, 1, 29, 35	-	35, 30, 13, 2	-	5, 35, 14, 2	-	8, 10, 19, 35	13, 29, 10, 18	13, 10, 29, 14	26, 39, 1, 40	28, 2, 10, 27	-	2, 27, 19, 6	28, 19, 32, 22	19, 32, 35	-	18, 19, 28, 1	15, 19, 18, 15	18, 19, 28, 15	3, 8, 13, 30	10, 13, 35	10, 20, 35, 26	19, 6, 18, 26	10, 28, 8, 3	18, 26, 28	10, 1, 35, 17	2, 19, 22, 37	35, 22, 1, 39	28, 1, 9	6, 13, 1, 32	2, 27, 28, 11	19, 13, 29	1, 10, 26, 39	25, 28, 17, 15	2, 26, 35	1, 28, 15, 35
3 Length of moving object	8, 15, 29, 34	-	+	-	15, 17, 4	-	7, 17, 4, 35	-	13, 4, 8	17, 10, 4	1, 8, 35	1, 8, 10, 29	1, 8, 15, 34	8, 35, 29, 34	19	-	10, 15, 19	32	8, 35, 24	-	1, 35	7, 2, 35, 39	4, 29, 23, 10	1, 24	15, 2, 29	29, 35	10, 14, 29, 40	28, 32, 4	10, 28, 29, 37	1, 15, 17, 24	17, 15	1, 29, 17	15, 29, 35, 4	1, 28, 10	1, 19, 26, 24	35, 1, 26, 24	17, 24, 26, 16	14, 4, 28, 29
4 Length of stationary object		35, 28, 40, 29	-	+	-	17, 7, 10, 40	-	35, 8, 2,14	-	28, 10	1, 14, 35	13, 14, 15, 7	39, 37, 35	15, 14, 28, 26	-	1, 10, 35	3, 35, 38, 18	3, 25	-		-	12, 8	6, 28	10, 28, 24, 35	24, 26,	30, 29, 14		15, 29, 28	32, 28, 3	2, 32, 10	1, 18		15, 17, 27	2, 25	3	1, 35	1, 26	26		30, 14, 7, 26
5 Area of moving object	2, 17, 29, 4	-	14, 15, 18, 4	-	+	-	7, 14, 17, 4		29, 30, 4, 34	19, 30, 35, 2	10, 15, 36, 28	5, 34, 29, 4	11, 2, 13, 39	3, 15, 40, 14	6, 3	-	2, 15, 16	15, 32, 19, 13	19, 32	-	19, 10, 32, 18	15, 17, 30, 26	10, 35, 2, 39	30, 26	26, 4	29, 30, 6, 13	29, 9	26, 28, 32, 3	2, 32	22, 33, 28, 1	17, 2, 18, 39	13, 1, 26, 24	15, 17, 13, 16	15, 13, 10, 1	15, 30	14, 1, 13	2, 36, 26, 18	14, 30, 28, 23	10, 26, 34, 2
6 Area of stationary object	-	30, 2, 14, 18	-	26, 7, 9, 39	-	+	-		-	1, 18, 35, 36	10, 15, 36, 37		2, 38	40	-	2, 10, 19, 30	35, 39, 38		-		17, 32	17, 7, 30	10, 14, 18, 39	30, 16	10, 35, 4, 18	2, 18, 40, 4	32, 35, 40, 4	26, 28, 32, 3	2, 29, 18, 36	27, 2, 39, 35	22, 1, 40	40, 16	16, 4	16	15, 16	1, 18, 36	2, 35, 30, 18	23	10, 15, 17, 7
7 Volume of moving object	2, 26, 29, 40	-	1, 7, 4, 35	-	1, 7, 4, 17	-	+	-	29, 4, 38, 34	15, 35, 36, 37	6, 35, 36, 37	1, 15, 29, 4	28, 10, 1, 39	9, 14, 15, 7	6, 35, 4	-	34, 39, 10, 18	2, 13, 10	35	-	35, 6, 13, 18	7, 15, 13, 16	36, 39, 34, 10	2, 22	2, 6, 34, 10	29, 30, 7	14, 1, 40, 11	26, 28, 28	25, 28, 2, 16	22, 21, 27, 35	17, 2, 40, 1	29, 1, 40	15, 13, 30, 12	10	15, 29	26, 1	29, 26, 4	35, 34, 16, 24	10, 6, 2, 34
8 Volume of stationary object	-	35, 10, 19, 14	19, 14	35, 8, 2, 14	-		-	+	-	2, 18, 37	24, 35	7, 2, 35	34, 28, 35, 40	9, 14, 17, 15	-	35, 34, 38	35, 6, 4				30, 6		10, 39, 35, 34		35, 16, 32 18	35, 3	2, 35, 16		35, 10, 25	34, 39, 19, 27	30, 18, 35, 4	35		1		1, 31	2, 17, 26		35, 37, 10, 2
9 Speed	2, 28, 13, 38	-	13, 14, 8	-	29, 30, 34	-	7, 29, 34	-	+	13, 28, 15, 19	6, 18, 38, 40	35, 15, 18, 34	28, 30, 1, 18	8, 3, 26, 14	3, 19, 35, 5	-	28, 30, 36, 2	10, 13, 19	8, 15, 35, 38	-	19, 35, 38, 2	14, 20, 19, 35	10, 13, 28, 38	13, 26		10, 19, 29, 38	11, 35, 27, 28	28, 32, 1, 24	10, 28, 32, 25	1, 29, 35, 23	2, 24, 35, 21	35, 13, 8, 1	32, 28, 13, 12	34, 2, 28, 27	15, 10, 26	10, 28, 4, 34	3, 34, 27, 16	10, 18	
10 Force (Intensity)	8, 1, 37, 18	18, 13, 1, 28	17, 19, 9, 36	28, 10	19, 10, 15	1, 18, 36, 37	15, 9, 12, 37	2, 36, 18, 37	13, 28, 15, 12	+	18, 21, 11	10, 35, 40, 34	35, 10, 21	35, 10, 14, 27	19, 2		35, 10, 21	-	19, 17, 10	1, 16, 36, 37	19, 35, 18, 37	14, 15	8, 35, 40, 5		10, 37, 36	14, 29, 18, 36	3, 35, 13, 21	35, 10, 23, 24	28, 29, 37, 36	18, 27, 38, 34	13, 3, 36, 24	15, 37, 18, 1	1, 26, 3, 25	15, 1, 11	15, 17, 18, 20	26, 35, 10, 18	36, 37, 10, 19	2, 35	3, 28, 35, 37
11 Stress or pressure	10, 36, 37, 40	13, 29, 10, 18	35, 10, 36	35, 1, 14, 16	10, 15, 36, 28	10, 15, 36, 37	6, 35, 10	35, 24	6, 35, 36	36, 35, 21	+	35, 4, 15, 10	35, 33, 2, 40	9, 18, 3, 40	19, 3, 27		35, 39, 19, 2	-	14, 24, 10, 37		10, 35, 14	2, 36, 25	10, 36, 3, 37		37, 36, 4	10, 14, 36	10, 13, 19, 35	6, 28, 25	3, 35	22, 2, 37	2, 33, 27, 18	1, 35, 16	11	2	35	19, 1, 35	2, 36, 37	35, 24	10, 14, 35, 37
12 Shape	8, 10, 29, 40	15, 10, 26, 3	29, 34, 5, 4	13, 14, 10, 7	5, 34, 4, 10		14, 4, 15, 22	7, 2, 35	35, 15, 34, 18	35, 10, 37, 40	34, 15, 10, 14	+	33, 1, 18, 4	30, 14, 10, 40	14, 26, 9, 25		22, 14, 19, 32	13, 15, 32	2, 6, 34, 14		4, 6, 2	14	35, 29, 3, 5		14, 13, 34, 17	36, 22	10, 40, 16	28, 32, 1	32, 30, 40	22, 1, 2, 35	35, 1	1, 32, 17, 28	32, 15, 26	2, 13, 1	1, 15, 29	16, 29, 1, 28	15, 13, 39	15, 1, 32	17, 26, 34, 10
13 Stability of the object's composition	21, 35, 2, 39	26, 39, 1, 40	13, 15, 1, 28	37	2, 11, 13	39	28, 10, 19, 39	34, 28, 35, 40	33, 15, 28, 18	10, 35, 21, 16	2, 35, 40	22, 1, 18, 4	+	17, 9, 15	13, 27, 10, 35	39, 3, 35, 23	35, 1, 32	32, 3, 27, 16	13, 19	27, 4, 29, 18	32, 35, 27, 31	14, 2, 39, 6	2, 14, 30, 40		35, 27	15, 32, 35		13	18	35, 24, 30, 18	35, 40, 27, 39	35, 19	32, 35, 30	2, 35, 10, 16	35, 30, 34, 2	2, 35, 22, 26	35, 22, 39, 23	1, 8, 35	23, 35, 40, 3
14 Strength	1, 8, 40, 15	40, 26, 27, 1	1, 15, 8, 35	15, 14, 28, 26	3, 34, 40, 29	9, 40, 28	10, 15, 14, 7	9, 14, 17, 15	8, 13, 26, 14	10, 18, 3, 14	10, 3, 18, 40	10, 30, 35, 40	13, 17, 35	+	27, 3, 26		30, 10, 40	35, 19	19, 35, 10	35	10, 26, 35, 28	35	35, 28, 31, 40		29, 3, 28, 10	29, 10, 27	11, 3	3, 27, 16	3, 27	18, 35, 37, 1	15, 35, 22, 2	11, 3, 10, 32	32, 40, 25, 2	27, 11, 3	15, 3, 32	2, 13, 25, 28	27, 3, 15, 40	15	29, 35, 10, 14
15 Duration of action of moving object	19, 5, 34, 31	-	2, 19, 9	-	3, 17, 19	-	10, 2, 19, 30	-	3, 35, 5	19, 2, 16	19, 3, 27	14, 26, 28, 25	13, 3, 35	27, 3, 10	+	-	19, 35, 39	2, 19, 4, 35	28, 6, 35, 18	-	19, 10, 35, 38		28, 27, 3, 18	10	20, 10, 28, 18	3, 35, 10, 40	11, 2, 13	3	3, 27, 16, 40	22, 15, 33, 28	21, 39, 16, 22	27, 1, 4	12, 27	29, 10, 27	1, 35, 13	10, 4, 29, 15	19, 29, 39, 35	6, 10	35, 17, 14, 19
16 Duration of action by stationary object	-	6, 27, 19, 16	-	1, 40, 35	-		-	35, 34, 38	-				39, 3, 35, 23		-	+	19, 18, 36, 40				16		27, 16, 19, 38	10	28, 21, 10, 16	3, 35, 31	34, 27, 6, 40	10, 26, 24		17, 1, 40, 33	22	35, 10	1	1	2		25, 34, 6, 35	1	20, 35, 16, 38
17 Temperature	36,22, 6, 38	22, 35, 32	15, 19, 9	15, 19, 9	3, 35, 39, 18	35, 38	34, 39, 40, 18	35, 6, 4	2, 28, 36, 30	35, 10, 3, 21	35, 39, 19, 2	14, 22, 19, 32	1, 35, 32	10, 30, 22, 40	19, 13, 39	19, 18, 36, 40	+	32, 30, 21, 16	19, 15, 3, 17		2, 14, 17, 25	21, 17, 35, 38	21, 36, 29, 31		35, 28, 21, 18	3, 17, 30, 39	19, 35, 3, 10	32, 19, 24	24	22, 35, 35, 2	22, 35, 2, 24	26, 27	26, 27	4, 10, 16	2, 18, 27	2, 17, 16	3, 27, 35, 31	26, 2, 19, 16	15, 28, 35
18 Illumination intensity	19, 1, 32	2, 35, 32	19, 32, 16		19, 32, 28		2, 13, 10		10, 13, 19	26, 19, 6		32, 30	32, 3, 27	35, 19	2, 19, 6		32, 35, 19	+	32, 1, 19	32, 35, 1, 15	32	13, 16, 1, 9	13, 1	1, 6	19, 1, 26, 17	1, 19		11, 15, 32	3, 32	15, 19	35, 19, 32, 39	19, 35, 28, 26	28, 26, 19	15, 17, 13, 16	15, 1, 1, 19	6, 32, 13	32, 15	2, 26, 10	2, 25, 16
19 Use of energy by moving object	12,18,28, 31	-	12, 28	-	15, 19, 25	-	35, 13, 18	-	8, 35, 35	16, 26, 21, 2	23, 14, 25	12, 2, 29	19, 13, 17, 24	5, 19, 9, 35	28, 35, 6, 18	-	19, 24, 3, 14	2, 15, 19	+	-	6, 19, 37, 18	12, 22, 15, 24	35, 24, 18, 5		35, 38, 19, 18	34, 23, 16, 18	19, 21, 11, 27	3, 1, 32		1, 35, 6, 27	2, 35, 6	28, 26, 30	19, 35	1, 15, 17, 28	15, 17, 13, 16	2, 29, 27, 28	35, 38	32, 2	12, 28, 35
20 Use of energy by stationary object	-	19, 9, 6, 27	-		-		-		-	36, 37			27, 4, 29, 18	35			19, 2, 35, 32	-	+				28, 27, 18, 31			3, 35, 31	10, 36, 23			10, 2, 22, 37	19, 22, 18	1, 4				19, 35, 16, 25		1, 6
21 Power	8, 36, 38, 31	19, 26, 17, 27	1, 10, 35, 37		19, 38	17, 32, 13, 38	35, 6, 38	30, 6, 25	15, 35, 2	26, 2, 36, 35	22, 10, 35	29, 14, 2, 40	35, 32, 15, 31	26, 10, 28	19, 35, 10, 38	16	2, 14, 17, 25	16, 6, 19	16, 6, 19, 37		+	10, 35, 38	28, 27, 18, 38	10, 19	35, 20, 10, 6	4, 34, 19	19, 24, 26, 31	32, 15, 2	32, 2	19, 22, 33, 2	2, 35, 18	26, 10, 34	26, 35, 10	35, 2, 10, 34	19, 17, 34	20, 19, 30, 34	19, 35, 16	28, 2, 17	28, 35, 34
22 Loss of Energy	15, 6, 19, 28	19, 6, 18, 9	7, 2, 6, 13	6, 38, 7	15, 26, 17, 30	17, 7, 30, 18	7, 18, 23	7	16, 35, 38	36, 38			14, 2, 39, 6	26			19, 38, 7	1, 13, 32, 15			3, 38	+	35, 27, 2, 37	19, 10	10, 18, 32, 7	7, 18, 25	11, 10, 35	32		21, 22, 35, 2	21, 35, 2, 22		35, 32, 1	2, 19		7, 23	35, 3, 15, 23	2	28, 10, 29, 35
23 Loss of substance	35, 6, 23, 40	35, 6, 22, 32	14, 29, 10, 39	10, 28,24	35, 2, 10, 31	10, 18, 39, 31	1, 29, 30, 36	3, 39, 18, 31	10, 13, 28, 38	14, 15, 18, 40	3, 36, 37, 10	29, 35, 3, 5	2, 14, 30, 40	35, 28, 31, 40	28, 27, 3, 18	27, 16, 18, 38	21, 36, 39, 31	1, 6, 13	35, 18, 24, 5	28, 27, 12, 31	28, 27, 18, 38	35, 27, 2, 31	+		15, 18, 35, 10	6, 3, 10, 24	10, 29, 39, 35	16, 34, 31, 28	35, 10, 24, 31	33, 22, 30, 40	10, 1, 34, 29	15, 34, 33	32, 28, 2, 24	2, 35, 34, 27	15, 10, 2	35, 10, 28, 24	35, 18, 10, 13	35, 10, 18	28, 35, 10, 23
24 Loss of Information	10, 24, 35	10, 35, 5	1, 26	26	30, 26	30, 16		2, 22	26, 32					10	10		19				10, 19	19, 10		+	24, 26, 28, 32	24, 28, 35	10, 28, 23		22, 10, 1	10, 21, 22	32	27, 22				35, 33	35	13, 21, 15
25 Loss of Time	10, 20, 37, 35	10, 20, 26, 5	15, 2, 29	30, 24, 14, 5	26, 4, 5, 16	10, 35, 17, 4	2, 5, 34, 10	35, 16, 32, 18		10, 37, 36,5	37, 36,4	4, 10, 34, 17	35, 3, 22, 5	29, 3, 28, 18	20, 10, 28, 18	28, 20, 10, 16	35, 29, 21, 18	1, 19, 26, 17	35, 38, 19, 18	1	35, 20, 10, 6	10, 3, 18, 32	35, 18, 10, 39	24, 26, 28, 32	+	35, 38, 18, 16	10, 30, 4	24, 34, 28, 32	24, 26, 28, 18	35, 18, 34	35, 22, 18, 39	35, 28, 34, 4	4, 28, 10, 34	32, 1, 10	35, 28	6, 29	18, 28, 32, 10	24, 28, 35, 30	
26 Quantity of substance/the matter	35, 6, 18, 31	27, 26, 18, 35	29, 14, 35, 18		15, 14, 29	2, 18, 40, 4	15, 20, 29		35, 29, 34, 28	35, 14, 3	10, 36, 14, 3	35, 14	15, 2, 17, 40	14, 35, 34, 10	3, 35, 10, 40	3, 35, 31	3, 17, 39		34, 29, 16, 18	3, 35, 31	35	7, 18, 25	6, 3, 10, 24	24, 28, 35	35, 38, 18, 16	+	18, 3, 28, 40	13, 2, 28	33, 30	35, 35, 29, 31	3, 35, 40, 39	29, 1, 35, 27	35, 29, 25, 10	2, 32, 10, 25	15, 3, 29	3, 13, 27, 10	3, 27, 29, 18	8, 35	13, 29, 3, 27
27 Reliability	3, 8, 10, 40	3, 10, 8, 28	15, 9, 14, 4	15, 29, 28, 11	17, 10, 14, 16	32, 35, 40, 4	3, 10, 14, 24	2, 35, 24	21, 35, 11, 28	8, 28, 10, 3	10, 24, 35, 19	35, 1, 16, 11		11, 28	2, 35, 3, 25	34, 27, 6, 40	3, 35, 10	11, 32, 13	21, 11, 27, 19	36, 23	21, 11, 26, 31	10, 11, 35	10, 35, 29, 39	10, 28	10, 30, 4	21, 28, 40, 3	+	32, 3, 11, 23	11, 32, 1	27, 35, 2, 40	35, 2, 40, 26		27, 17, 40	1, 11	13, 35, 8, 24	13, 35, 1	27, 40, 28	11, 13, 27	1, 35, 29, 38
28 Measurement accuracy	32, 35, 26, 28	28, 35, 25, 26	28, 26, 5, 16	32, 28, 3, 16	26, 28, 32, 3	26, 28, 32, 3	32, 13, 6		28, 13, 32, 24	32, 2	6, 28, 32	6, 28, 32	32, 35, 13	28, 6, 32	28, 6, 32	10, 26, 24	6, 19, 28, 24	6, 1, 32	3, 6, 32		3, 6, 32	26, 32, 27	10, 16, 31, 28		24, 34, 28, 32	2, 6, 32	5, 11, 1, 23	+		28, 24, 22, 26	3, 33, 39, 10	6, 35, 25, 18	1, 13, 17, 34	1, 32, 13, 11	13, 35, 2	27, 35, 10, 34	28, 24, 32, 28	28, 2, 10, 34	10, 34, 29, 32
29 Manufacturing precision	28, 32, 13, 18	28, 35, 27, 9	10, 26, 29, 37	2, 32, 10	28, 33, 29, 32	2, 29, 18, 36	32, 23, 2	25, 10, 35	10, 28, 32	28, 19, 34, 36	3, 35	32, 30, 40	30, 18	3, 27	3, 27, 40		19, 26	3, 32	32, 2		32, 2	13, 32, 2	35, 31, 10, 24		32, 26, 28, 18	32, 30	11, 32, 1		+	26, 28, 10, 36	4, 17, 34, 26		1, 32, 35, 23	25, 10		26, 2, 18		26, 28, 18, 23	10, 18, 32, 39
30 Object-affected harmful factors	22, 21, 27, 39	2, 22, 13, 24	17, 1, 39, 4	1, 18	22, 1, 33, 28	27, 2, 39, 35	22, 23, 37, 35	34, 39, 19, 27	21, 22, 35, 28	13, 35, 39, 18	22, 2, 37	22, 1, 3, 35	35, 24, 30, 18	18, 35, 37, 1	22, 15, 33, 28	17, 1, 40, 33	22, 35, 35, 2	1, 19, 32, 13	1, 24, 6, 27	10, 2, 22, 37	19, 22, 31, 2	21, 22, 35, 2	33, 22, 19, 40	22, 10, 2	35, 18, 34	35, 33, 29, 31	27, 24, 2, 40	28, 33, 23, 26	26, 28, 10, 18	+		24, 35, 2	2, 25, 28, 39	35, 10, 2	35, 11, 22, 31	22, 19, 29, 40	22, 19, 29, 40	33, 3, 34	22, 35, 13, 24
31 Object-generated harmful factors	19, 22, 15, 39	35, 22, 1, 39	17, 15, 16, 22		17, 2, 18, 39	22, 1, 40	17, 2, 40	30, 18, 35, 4	35, 28, 3, 23	35, 28, 1, 40	2, 33, 27, 18	35, 1	35, 40, 27, 39	15, 35, 22, 2	15, 22, 33, 31	21, 39, 16, 22	22, 35, 2, 24	19, 24, 39, 32	2, 35, 6	19, 22, 18	2, 35, 18	21, 35, 2, 22	10, 1, 34	10, 21, 29	1, 22	3, 24, 39, 1	34, 2, 40, 39	3, 33, 26	4, 17, 34, 26		+				19, 1, 31	2, 21, 27, 1	2	22, 35, 18, 39
32 Ease of manufacture	28, 29, 15, 16	1, 27, 36, 13	1, 29, 13, 17	15, 17, 27	13, 1, 26, 12	16, 40	13, 29, 1, 40	35	35, 13, 8, 1	35, 12	35, 19, 1, 37	1, 28, 13, 27	11, 13, 1	1, 3, 10, 32	27, 1, 4	35, 16	27, 26, 18	28, 24, 27, 1	28, 26, 27, 1	1, 4	27, 1, 12, 24	19, 35	15, 34, 33	32, 24, 18, 16	35, 28, 34, 4	35, 23, 1, 24		1, 35, 12, 18		24, 2		+	2, 5, 13, 16	35, 1, 11, 9	2, 13, 15	27, 26, 1	6, 28, 11, 1	8, 28, 1	35, 1, 10, 28
33 Ease of operation	25, 2, 13, 15	6, 13, 1, 25	1, 17, 13, 12		1, 17, 13, 16	18, 16, 15, 39	1, 16, 35, 15	4, 18, 39, 31	18, 13, 34	28, 13 35	2, 32, 12	15, 34, 29, 28	32, 35, 30	32, 40, 3, 28	29, 3, 8, 25	1, 16, 25	26, 27, 13	13, 17, 1, 24	1, 13, 24		35, 34, 2, 10	2, 19, 13	28, 32, 2, 24	4, 10, 27, 22	4, 26, 10, 34	12, 35	17, 27, 8, 40	25, 13, 2, 34	1, 32, 35, 23	2, 25, 28, 39		2, 5, 12	+	12, 26, 1, 32	15, 34, 1, 16	32, 26, 12, 17		1, 34, 12, 3	15, 1, 28
34 Ease of repair	2, 27, 35, 11	2, 27, 35, 11	1, 28, 10, 25	3, 18, 31	15, 13, 32	16, 25	25, 2, 35, 11	1	34, 9	1, 11, 10	13	1, 13, 2, 4	2, 35	11, 1, 2, 9	11, 29, 28, 27	1	4, 10	15, 1, 13	15, 1, 28, 16		15, 10, 32, 2	15, 1, 32, 19	2, 35, 34, 27		32, 1, 10, 25	2, 28, 10, 25	11, 10, 1, 16	10, 2, 13	25, 10	35, 10, 2, 16		1, 35, 11, 10	1, 12, 26, 15	+	7, 1, 4, 16	35, 1, 13, 11		34, 35, 7, 13	1, 32, 10
35 Adaptability or versatility	1, 6, 15, 8	19, 15, 29, 16	35, 1, 29, 2	1, 35, 16	35, 30, 29, 7	15, 16	15, 35, 29		35, 10, 14	15, 17, 20	35, 16	15, 37, 1, 8	35, 30, 14	35, 3, 32, 6	13, 1, 35	2, 16	27, 2, 3, 35	6, 22, 26, 1	19, 35, 29, 13		19, 1, 29	18, 15, 1	15, 10, 2, 13		35, 28	3, 35, 15	35, 13, 8, 24	35, 5, 1, 10		35, 11, 32, 31		1, 13, 31	15, 34, 1, 16	1, 16, 7, 4	+	15, 29, 37, 28	1	27, 34, 35	35, 28, 6, 37
36 Device complexity	26, 30, 34, 36	2, 26, 35, 39	1, 19, 26, 24	26	14, 1, 13, 16	6, 36	34, 26, 6	1, 16	34, 10, 28	26, 16	19, 1, 35	29, 13, 28, 15	2, 22, 17, 19	2, 13, 28	10, 4, 28, 15		2, 17, 13	24, 17, 13	27, 2, 29, 28		20, 19, 30, 34	10, 35, 13, 2	35, 10, 28, 29		6, 29	13, 3, 27, 10	13, 35, 1	2, 26, 10, 34	26, 24, 32	22, 19, 29, 40	19, 1	27, 26, 1, 13	27, 9, 26, 24	1, 13	29, 15, 28, 37	+	15, 10, 37, 28	15, 1, 24	12, 17, 28
37 Difficulty of detecting and measuring	27, 26, 28, 13	6, 13, 28, 1	16, 17, 26, 24	26	2, 13, 18, 17	2, 39, 30, 16	29, 1, 4, 16	2, 18, 26, 31	3, 4, 16, 35	30, 28, 40, 19	35, 36, 37, 32	27, 13, 1, 39	11, 22, 39, 30	27, 3, 15, 28	19, 29, 39, 25	35, 34, 6, 35	3, 27, 35, 16	2, 24, 26	35, 38	19, 35, 16	18, 1, 16, 10	35, 3, 15, 19	1, 18, 10, 24	35, 33, 27, 22	18, 28, 32, 9	3, 27, 29, 18	27, 40, 28, 8	26, 24, 32, 28	28, 26, 18, 23	22, 19, 29, 28	2, 21	5, 28, 11, 29	2, 5	12, 26	1, 15	15, 10, 37, 28	+	34, 21	35, 18
38 Extent of automation	28, 26, 18, 35	28, 26, 35, 10	14, 13, 17, 28	23	17, 14, 13		35, 13, 16	28, 10	2, 35	13, 35	15, 32, 1, 13	14, 10, 34, 40	18, 1	25, 13	6, 9		26, 2, 19	8, 32, 19	2, 32, 13		28, 2, 27	23, 28	35, 10, 18, 5	35, 33	24, 28, 35, 30	35, 13	11, 27, 32	28, 26, 10, 34	28, 26, 18, 23	2, 33	2	1, 26, 13	1, 12, 34, 3	1, 35, 13	27, 4, 1, 35	15, 24, 10	34, 27, 25	+	5, 12, 35, 26
39 Productivity	35, 26, 24, 37	28, 27, 15, 3	18, 4, 28, 38	30, 7, 14, 26	10, 26, 34, 31	10, 35, 17, 7	2, 6, 34, 10	35, 37, 10, 2		28, 15, 10, 36	10, 37, 14	14, 10, 34, 40	35, 3, 22, 39	29, 28, 10, 18	35, 10, 2, 18	20, 10, 16, 38	35, 21, 28, 10	26, 17, 19, 1	35, 10, 38, 19	1	35, 20, 10	28, 10, 29, 35	28, 10, 35, 23	13, 15, 23		35, 38	1, 35, 10, 38	1, 10, 34, 28	1, 28, 7, 10	1, 32, 10, 25	1, 35, 28, 37	12, 17, 28, 24	35, 18, 27, 2	5, 12, 35, 26	+

Everything in YELLOW is a TRADEOFF

Everything in TURQUOISE is a near TRADEOFF

Ontology based on Tradeoff



The ONTOLOGY




hydraulic limit on transpiration
swim bladder
Avian skeleton
introduce cavitation
introduce a lumen
mole-cricket burrow
a resonant cavity
make a cavity of controlled size
make a cavity
make a tunnel
respiratory plastron
underfur
down feather
secondary xylem
use an open-cell structure
introduce emptiness or pores or cells
banana petiole
sand worm glue
use a foam
use a 3-D cellular structure
plug in egg-laying hole
use a closed-cell structure
use a bubble
generate a cellular structure
honeycomb
make a plane with blind holes
feather
egg plastron
generate an absorptive surface
make a 2D cellular structure
leaf with stomata
a permeable plate
make a plane with multiple holes
make a plane with open holes
control porosity
make a plane with a single hole
stomatal guard cells
make holes controllable


effect of jasmonate reproduction trade-offs
snap-jaw ant trap-jaw ant tuned locomotion
drought resistance
root storage
amnion ecdysial covering
migrate or be eaten
avoid enemies in the plankton
hibernate
aestivate
corticosteroid and fledging immunology and reproduction
use stored resource
store elastic energy
store water
store nutrition
nocturnal activity
diurnal activity
crepuscular activity
develop dormancy
respond to photoperiod
increase immune response
decrease immune response
store resource
acquire resource
invest more energy into structure
use a breakable membrane
pre-adapt
use daily periodicity
use seasonal periodicity
ability to predict
specialise
generalise
immune responses
adapt behaviour
adapt morphology
adapt timing
degree of specialisation
adapt physiology
prepare for action

ant living bridge
stability or maneuverability
understanding protein folding
make parts individually responsive
joint degrees of freedom
independant suspension
parts independently moveable
butterfly wing scale
hyaluronic acid
lubrication
ballistic seeds
change from stationary to moveable
morphological convergence
migrate or be eaten
grow body or brain
resistance to herbivory
size or number of eggs
bioluminesence
insect resonator
shell morphology
phenotypic change
genotypic change
adaptive control
epigenetic change
optimum walking
benthic species richness
optimise process
optimise object
optimise environment
increase adaptiveness
acclimatise
discontinuous respiration
grain or lodging
change developmental processes
progress to optimal operating conditions
CONVERSION TO DYNAMICS
change response threshold
copulation corrupts immunity
optimal sensory processing
toad vision
neural threshold
dynamic equilibrium
change from static to dynamic
piano finger
deployable structure
ensure structure is flexible
hedgehog spine
spider sensor
self-expanding insect wing
octopus arm
lepidopterous proboscis
deploy deformation along a structure
use a deformable bag
use folds or hinges
shark body wall
tentacle
ballistic tongue
use a double helical mechanism
control Poisson ratio with orientated fibres
mammalian penis
chromatophore
wing of vertebrate
hind wing of beetle
emerging tree leaf

Strike of the Ant-Lion (*Myrmeleon* larva)





Archer Fish (*Toxodes*)



TRIZ - The 39 Parameters

1. Weight of moving object
2. Weight of stationary object
3. Length of moving object
4. Length of stationary object
5. Area of moving object
6. Area of stationary object
7. Volume of moving object
8. Volume of stationary object
9. Speed
10. Force
11. Tension, pressure
12. Shape
13. Stability of object
14. Strength
15. Duration of action - moving object
16. Duration of action - stationary object
17. Temperature
18. Brightness
19. Use of energy by moving object
20. Use of energy by stationary object
21. Power
22. Waste of energy
23. Waste of substance
24. Loss of information
25. Waste of time
26. Amount of substance
27. Reliability
28. Accuracy of measurement
29. Accuracy of manufacturing
30. Object affected harmful effects
31. Object generated side effects
32. Manufacturability
33. Convenience of use
34. Repairability
35. Adaptability
36. Complexity of device
37. Complexity of control
38. Level of automation
39. Productivity

These define the Tradeoff

Examples of Speed-Accuracy tradeoff

Subject (ref)	Detail	Principles	Trade-off A	Trade-off B
Ant lion [16]	Bite prey accurately	Independent bilateral control Position feedback	Speed of movement	Control of error
Archer Fish [17]	Get to prey quickly	Flexible structure Ability to predict Move quickly 3D projection	Speed of reaction	Predict where prey falls
Bee survival [18]	Identify possible predators	Learning Take avoiding action	Time spent on flower	Control of error
Piano player [19]	Press the right notes quickly	Ability to predict Static-to-dynamic change Mechanical feedback	Control of error	Speed of movement
Choose [20]	Error related to learning	Ability to predict Change response threshold Error correction Stochastic accumulator	Speed of reaction	Predict outcome
Neural [21]	Accuracy of visual search	Change response threshold Feedback Stochastic accumulator	Control of error	Speed of reaction
Identity of odour [22]	Discriminate similar odours	Network Feedback	Speed of reaction	Predict identity
Vision in toads [23]	Discriminate in low light level	Amplitude change Change response threshold Integrate stimuli Signal-to-noise ratio	Speed of reaction	Difficult discrimination

TRIZ - The 40 inventive principles

1. Segmentation
2. Extraction
3. Local quality
4. Asymmetry
5. Combination
6. Universality
7. Nested doll
8. Counterweight
9. Prior counter-action
10. Prior action
11. Prior cushioning
12. Equipotentiality
13. Other way around
14. Spheroidality
15. Dynamics
16. Partial or excessive action
17. Another dimension
18. Vibration
19. Periodic action
20. Continuity of useful action
21. Skipping
22. Blessing in disguise
23. Feedback
24. Intermediary
25. Self-service
26. Copying
27. Cheap/short life
28. Mechanical substitution
29. Pneumatics and hydraulics
30. Flexible shells/thin films
31. Porous/cellular materials
32. Colour change
33. Homogeneity
34. Discarding and recovering
35. Parameter change
36. Phase transition
37. Thermal expansion
38. Strong oxidant
39. Inert atmosphere
40. Composite material

These are BIOMIMETIC solutions

Sirex gigas

Sirex ovipositor



Reciprocating drill



Biomimetic drill





Drill bit

Comparison of drills

	Biomimetic drill	Beagle 2/Mole [Kochan et al, 1999]	USDC [Bar-Cohen et al, 2001]
Drill diameter (m)	**0.018**	**0.02**	**0.003**
Power (W)	**3 (max)**	**5(peak)**	**5**
Drilling speed (m/s)	**$\sim 10^{-4}$ (soil) $\sim 3 \times 10^{-5}$ (rock)**	**$\sim 2 \times 10^{-4}$ (soil)**	**$\sim 10^{-4}$ (rock)**
Q (m^3/s)	**$\pi \times 0.009^2 \times 10^{-4}$ (soil) $\pi \times 0.009^2 \times 3 \times 10^{-5}$ (rock)**	**$\pi \times 0.01^2 \times 2 \times 10^{-4}$ (soil)**	**$\pi \times 0.0015^2 \times 10^{-4}$ (rock)**
Power/Q (J/m^3)	**11.7×10^7 (soil) 3.9×10^8 (rock)**	**6.4×10^7 (soil)**	**7.07×10^9 (rock)**



Deployable wasp drill



6. Diagrammatic drawings of the structure of an insect campaniform sensillum (A) and an arachnid slit sensillum (B). The arrows show the probable direction of strain which excites the sensilla. (A: based on drawings of the basal plate sensilla on the haltere of *Calliphora* (Pflugstaedt, 1912); B: based on a drawing of the lyriform organ on the patella of a spider (Vogel, 1923).)







Ulrike Grünert and Werner Gnatzy

Zoomorphology (1987) 106:320–328

Campaniform sensilla on a cockroach leg



Two sensilla orientated orthogonally can detect all deformations





silicon strain-sensing structures inspired from the campaniform sensillum of insects

D.H.B. Wicaksono[1], G. Pandraud[1], J.F.V. Vincent[2], and P.J. French[1]



silicon strain-sensing structures inspired from the campaniform sensillum of insects

D.H.B. Wicaksono[1], G. Pandraud[1], J.F.V. Vincent[2], and P.J. French[1]